

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| S3 | 50 | (((((711/103).CCLS.) and @ad < "20010830") and flash) and compression | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/30 11:57 |
| S2 | 600 | (((((711/103).CCLS.) and @ad < "20010830") and flash | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/30 11:57 |
| S4 | 0 | ((flash with memory with compress\$4) and (power adj up) and processor and @ad< "20010830") and (synchronous near2 RAM) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/30 16:12 |
| S6 | 4 | ((flash with memory with compress\$4) and (power adj up) and processor and @ad< "20010830") and ((synchronous with RAM) sdram sldram) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/30 16:13 |
| S7 | 97 | (flash with memory with compress\$4) and ((power adj up) boot) and processor and @ad< "20010830" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/30 16:59 |
| S8 | 75 | (flash with memory with decompress\$4) and processor and @ad< "20010830" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/30 17:12 |
| S9 | 2 | "20030046483" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/30 17:13 |
| S10 | 2 | "20030046486" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/30 17:14 |
| S11 | 2 | "6549468" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/30 17:15 |

| | | | | | | |
|-----|------|---|---|----|-----|------------------|
| S13 | 2 | "20030023840" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/30 17:20 |
| S12 | 7 | "6560161" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/30 17:20 |
| S14 | 2209 | (flash with memory) and (power adj up) and processor and @ad< "20010830" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/03 13:38 |
| S16 | 34 | ((flash with memory) with (RAM) with (load read)) same ((power adj up) reset)) and processor and @ad< "20010830" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/03 15:46 |
| S17 | 184 | ((flash with memory) with (RAM) with (load\$3 read\$3 stor\$3 cop\$4)) same ((power adj up) reset\$4 boot\$4)) and processor and @ad< "20010830" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/03 15:47 |
| S18 | 152 | ((flash near4 memory) with (RAM) with (load\$3 read\$3 stor\$3 cop\$4)) same ((power adj up) reset\$4 boot\$4)) and processor and @ad< "20010830" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/03 16:13 |
| S19 | 2 | "20020138702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/03 16:18 |
| S1 | 1057 | (711/103).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/05/04 18:17 |
| S20 | 2 | "20020016888" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/04 18:22 |
| S21 | 2 | "20020016888" and (exclusive adj lock) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/04 18:23 |

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S22 | 2 | "20030046485" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/12 21:16 |
| S23 | 3 | (system adj reset) with (cpu near4 activa\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/12 21:17 |
| S25 | 232 | ((CPU processor system) adj reset) with (boot)) and @ad < "20010828" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/12 21:18 |
| S24 | 338 | ((CPU processor system) adj reset) with (boot) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/12 21:22 |
| S26 | 14 | ((CPU processor system) adj reset) near signal) with (boot) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/12 21:32 |
| S27 | 3 | ((CPU processor system) adj reset) with (boot near5 (preload (pre adj load)))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/13 13:33 |
| S28 | 15 | ((boot near5 load) near (complet\$4 ack acknowledg\$5)) and @ad < "20010828" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/13 13:41 |
| S29 | 0 | ((boot near5 load) near (assert\$4 deassert\$ de-assert\$4)) and @ad < "20010828" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/13 13:42 |
| S30 | 9 | ((boot near5 load) with (assert\$4 deassert\$ de-assert\$4)) and @ad < "20010828" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/13 13:43 |
| S31 | 2 | ((boot near5 load\$4) near4 (complet\$4 after)) with (assert\$4 deassert\$ de-assert\$4)) and @ad < "20010828" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/13 18:27 |

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S33 | 0 | ((flash with memory with compress\$4) and (power adj up) and processor and @ad< "20010830") and RDRAM | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/13 18:28 |
| S32 | 65 | (flash with memory with compress\$4) and (power adj up) and processor and @ad< "20010830" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/13 18:28 |
| S35 | 0 | ((flash with memory with compress\$4) and (power adj up) and processor and @ad< "20010830") and (Rambus with RAM) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/13 18:29 |
| S34 | 0 | ((flash with memory with compress\$4) and (power adj up) and processor and @ad< "20010830") and (Rambus with DRAM) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/13 18:29 |
| S37 | 4 | ((flash with memory) and (power adj up) and processor and @ad< "20010830") and (synchronous with ram)and rambus | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/13 18:30 |
| S15 | 36 | ((flash with memory) and (power adj up) and processor and @ad< "20010830") and (synchronous with ram) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/13 18:30 |
| S36 | 2566 | (Rambus with (RAM dram rdram)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/13 18:31 |
| S39 | 830 | ((711/103).CCLS.) and @ad < "20010830" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/13 18:33 |
| S38 | 1504 | ((Rambus with (RAM dram rdram))) and @ad < "20010828" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/13 18:33 |
| S41 | 3 | ((711/103).CCLS.) and @ad < "20010830") and rambus | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/13 18:34 |

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| S40 | 1 | ((((711/103).CCLS.) and @ad < "20010830") and rdram | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/13 18:34 |
| S42 | 2 | ("20030046485").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/10/30 18:22 |
| S43 | 0 | ((flash with card with compress\$4) and processor and @ad< "20010830") and (synchronous with RAM) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/30 20:15 |
| S5 | 3 | ((flash with memory with compress\$4) and (power adj up) and processor and @ad< "20010830") and (synchronous with RAM) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/30 20:15 |
| S44 | 0 | ((flash with decompress\$4) and processor and @ad< "20010830") and (synchronous with RAM) and (flash with (card pcmcia)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/30 20:17 |
| S45 | 0 | ((flash same decompress\$4)and @ad< "20010830") and (synchronous with RAM) and (flash with (card pcmcia)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/30 20:18 |
| S48 | 200 | (@ad< "20010830" and (sdram) and (flash with (card pcmcia))) and (flash decompress\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/30 20:22 |
| S46 | 108 | @ad< "20010830" and (synchronous with RAM) and (flash with (card pcmcia)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/30 20:22 |
| S49 | 16 | (@ad< "20010830" and (sdram) and (flash with (card pcmcia))) and (flash with decompress\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/30 20:23 |
| S47 | 200 | @ad< "20010830" and (sdram) and (flash with (card pcmcia)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/30 20:27 |

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S50 | 23 | @ad< "20010830" and (sdram) and (flash with pcmcia) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/30 20:30 |
| S51 | 6 | @ad< "20010830" and (sdram) and ((flash with remov\$4) same pcmcia) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/30 20:31 |
| S52 | 16 | (((711/103).CCLS.) and @ad < "20010830") and flash) and compression) and decompress\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/31 13:59 |
| L2 | 647 | (((711/103).CCLS.) and @ad < "20010830") and flash | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/02 14:27 |
| L5 | 39 | ((flash with memory) and (power adj up) and processor and @ad< "20010830") and (synchronous with ram) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/02 14:28 |
| L4 | 81 | (flash with memory with decompress\$4) and processor and @ad< "20010830" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/02 14:28 |
| L3 | 51 | (((711/103).CCLS.) and @ad < "20010830") and flash) and compression | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/02 14:28 |
| L6 | 4 | ((flash with memory with compress\$4) and (power adj up) and processor and @ad< "20010830") and ((synchronous with RAM) sdram sidram) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/02 14:32 |